



**BLICKMAN
BUILT™**


STANDS


Engineered for a Lifetime — Our Reputation is Stainless



INSTRUMENT STANDS
INTRAVENOUS STANDS
FOUR-LEG
FIVE-LEG
SIX-LEG

IV ACCESSORIES
SOLUTION STANDS





Our mayo stands have evolved to meet the needs of customers for maximum utility in an increasingly crowded surgical environment.

CHROME

MODEL 1501 INSTRUMENT STAND features a five-leg cast aluminum base with wall savers. A Tru-Loc™ friction knob secures the height adjustment of the stainless steel tray. Travels easily on 2" twin-wheel hooded casters.

Model No.	Part No.	Feature	Height Adjustment	Tray Size	Ship Wt. (lb) est.
1501	0661501000	5-leg base	29-1/2" to 49"	12-5/8" x 19-1/8"	12

MODELS 1510 AND 1515 DOUBLE-POST AND SINGLE-POST CHROME MAYO STANDS adjust easily with the Tru-Loc™ friction knob to ensure secure positioning of the stainless steel tray. Travels easily on 2" twin wheel casters (1510) or hard rubber casters (1515).

Model No.	Part No.	Feature	Height Adjustment	Tray Size	Ship Wt. (lb) est.
1510	0661510000	Double- post	34-1/2" - 54"	12-5/8" - 19-1/8"	19
1515	0661515000	Single- post	31-1/2" - 51"	12-5/8" - 19-1/8"	12



STAINLESS



MODEL 1520SS AND MODELS 7741SS (NEWARK) are a superior choice for value-conscious customers. They utilize a Tru-Loc™ friction knob for manual locking at desired height. The 1520 uses a lighter tray support and stainless steel base (one size only). Travels easily on 2", single-wheel casters.

Model No.	Part No.	Feature	Height Adjustment	Tray Size	Ship Wt. (lb) est.
1520SS	0671520000	Tru-Loc™ knob	37-1/4" - 64"	12-5/8" x 19-1/8"	21
7741SS	0637741000	Tru-Loc™ knob	39.5" - 62"	13-3/4" x 19-1/8"	45



STAINLESS



MODEL 7748SS (STANFORD) MAYO STAND maneuvers easily with two additional casters attached to a "U" shaped tubular frame. Great for the ER or exam rooms. Height adjusts with a Tru-Loc™ friction knob. Also available with optional **MODEL 7748CR CRADLE ASSEMBLY**, including a carriage to house a 13 qt. kickbucket (kickbucket included).

Model No.	Part No.	Feature	Height Adjustment	Tray Size	Ship Wt. (lb) est.
7748SS	0647748000	"U" Shape base	39.5" - 62"	13-3/4" x 19-1/8"	35

Option: 12 qt. kickbucket inserted into frame.

Option: 7748CR CRADLE ASSEMBLY, includes carriage to house 13 qt. kickbucket (kickbucket included).



MODELS 7767SS AND 7769SS (RICHMOND) FOOT OPERATED MAYO STANDS are number one in ease and convenience. Just lift the tray frame – it automatically locks. To lower, hold the tray frame and press the foot operated control button. Release to lock in place. A guard over the foot button prevents accidental release. Select our **MODEL 8771SS, DOUBLE-POST JUMBO MAYO STAND** when a larger tray size is required. **MODELS 7740SS AND 7749SS (MANHATTAN) MAYO STANDS** lower with a thumb-operated control button. To raise, lift the tray frame to desired height – it automatically locks in place.

Model No.	Part No.	Feature	Height Adjustment	Tray Size	Ship Wt. (lb) est.
7767SS	0617767000	Foot-operated	39.5" - 62"	13-3/4" x 19-1/8"	46
7769SS	0617769000	Foot-operated	39.5" - 62"	16" x 21"	46
8771SS	0658771000	Foot-operated	39.5" - 62"	20" x 25"	54
7740SS	0627740000	Thumb-op. button	39.5" - 62"	13-3/4" x 19-1/8"	45
7749SS	0627749000	Thumb-op. button	39.5" - 62"	16" x 21"	46



CHROME

MODEL 1305 IV STAND is for value-conscious customers who will appreciate the chrome-plated construction. The stand is offered with two hooks welded to the pole or a removable four-hook ram's horn with colored secure-grip tips. Both sit on a four-leg epoxy-coated base with Wall Saver™ tips to protect walls. Twist-lock height adjustment. Stand travels on four, 2" twin-wheel hooded casters. Minimal assembly required.

Model No.	Part No.	Feature	Height Adjustment	Ship Wt. (lb) est.
1305	0561305000	welded hooks (2)	47 1/2" - 85-1/2"	10
1305-4P	0561305401	removable hooks (4)	52" - 91"	15

MODEL 1310 IV STAND sits on a 22" diameter chrome-plated heavy bar steel base with Wall Savers™ to protect against scuffmarks. The Tru Loc™ friction knob assures secure height positioning. Offered with a two-hook ram's horn with secure-grip tips. The stand travels on four, 2" twin-wheel hooded casters. Height adjustment from 51-1/2" to 93". Minimal assembly required.

Model No.	Part No.	Feature	Ship Wt. (lb) est.
1310	0561310000	(2-hook)	14

Optional four-hook adapters available.

STAINLESS

MODEL 1410SS IV STAND sits on a 22" diameter stainless steel base with Wall Savers™ to protect against scuffmarks. The Tru-Loc™ friction knob secures height position. Travels on four, 2" hard rubber casters. Height adjustment is 51-3/4" to 94". Minimal assembly required.

Model No.	Part No.	Feature	Ship Wt. (lb) est.
1410SS	0571410000	(2-hook)	15
1410SS-4	0571410400	(4-hook)	15



MODEL 7789SS, 7790SS AND 7788SS STAINLESS STEEL IV STANDS are built with a high quality, rounded, die-formed base, which means no flat surfaces for dirt to collect, a safehousing for casters and a no-tip base. Choose an automatic thumb release for the convenience of one-hand operation or a twist lock that adjusts easily when turned, locks securely in place. All stands travel on 2" ball bearing swivel casters for optimal mobility. Our foot-operated IV stand is for customers who prefer hands free operation, with a guard over the foot mechanism, which prevents accidental release. *See page 4 for photos of height adjustment mechanisms.*



Model No.	Part No.	Feature	Height Adjustment	Ship Wt. (lb) est.
7789SS	0517789000 (2-hook)	Automatic thumb control	66" - 100"	25
7789SS-4	0517789400 (4-hook)	Automatic thumb control	66" - 100"	26
7790SS	0527790000 (2-hook)	Twist lock	66" - 100"	26
7790SS-4	0527790400 (4-hook)	Twist lock	66" - 100"	27
7788SS	0517788000 (2-hook)	Foot -operated	66" - 100"	27
7788SS-4	0517788400 (4-hook)	Foot -operated	66" - 100"	28



FIVE-LEG IV STANDS sit on a 24" diameter, polished die cast aluminum base with Wall Saver™ end caps to protect against scuffmarks. **Select a stainless or chrome post and your choice of four different height adjustment mechanisms.** All Five-leg IV poles offer a two- or four-hook interchangeable ram's horn. All stands feature poly-coated, secure grip hooks for protection. Five-leg IV stands travel on 2-1/2" twin-wheel hooded casters or 2" or 3" hard rubber swivel casters. **Special features can be found on Model 1350** — our heavy-duty chrome IV stand with a 1-1/4" outside diameter base post and 1" outside diameter extension post. This model comes with four- or six-hook interchangeable ram's horn. All stands feature poly-coated, secure grip hooks for protection.

Note: SS denotes Stainless Steel

Note: All five-leg IV stands ship in 2 separate cartons and require minimal assembly.



Tru-Loc™ Friction knob



Twist-Lock

Model No.	Part No.	Post	Type of Adjustment	Hooks	Height Adj.	Casters	Ship Wt. (lb) est.
CHROME							
1315	0561315000	Chrome	Tru-Loc™ friction knob	2	52-1/2" - 93-1/2"	2 1/2"	13
1315-4	0561315400	Chrome	Tru-Loc™ friction knob	4	52-1/2" - 93-1/2"	2 1/2"	13
1350-4	0561350400	Chrome	Tru-Loc™ friction knob	4	56" - 100"	2 1/2"	15
1350-6	0561350600	Chrome	Tru-Loc™ friction knob	6	56" - 100"	2 1/2"	15
STAINLESS							
1415SS	0531415000	SS	Tru-Loc™ friction knob	2	52" - 94"	2"	13
1415SS-4	0531415400	SS	Tru-Loc™ friction knob	4	52" - 94"	2"	13
7792SS	0537792000	SS	Twist lock	2	74" - 110"	3"	35
7792SS-4	0537792400	SS	Twist lock	4	74" - 110"	3"	35
7794SS	0517794000	SS	Automatic thumb control	2	67" - 98"	3"	35
7794SS-4	0517794400	SS	Automatic thumb control	4	67" - 98"	3"	35
7795SS-4	0539A02304	SS	Twist lock	4		2-1/2"	



MODEL 1360 CHROME HEAVY-DUTY IV STAND features a wide 26" diameter epoxy-coated **SIX-LEG BASE** for durability and corrosion resistance. Designed for hospital applications requiring multiple pumps or accessories or whenever a heavier base is required. Add a 1-1/4" outside diameter base post with a 1" outside diameter extension post and you have the toughest stand in our chrome line. The Tru-Loc™ friction knob secures height position. This model comes with four or six-hook interchangeable ram's horn. The hook tips are colored with a poly-coated secure grip for easy identification. Stand travels on 3" single wheel hard rubber casters. Adjusts from 58"-102". Minimal assembly required. All stands feature poly-coated, secure grip hooks for protection.

Model No.	Part No.	Ship Wt. (lb) est.
1360-4	0561360400 (4-hook)	22
1360-6	0561360600 (6-hook)	24



Note: All five and six-leg IV stands are shipped in two cartons and require minimal assembly.

MODEL 7795SS4 (HACKENSACK) CART-WASHABLE IV STAND is newly designed for processing through today's cart-washers. Built specifically to withstand high temperatures and cleaning fluids, with weep holes in the pole and base for fluid drainage. Field-tested for durability. This model comes on a five-leg composite base with 2-1/2" casters. It features a 1" outside-diameter base post and 3/4" outside diameter extension post with Twist-lock height-adjustment and a four-hook ram's horn.





MODEL 1380 COMPREHENSIVE CLAMP- This aluminum clamp is required for the fast and flexible attachment of the guidance handle (1381), utility console tray (1384), multiple pump holder (1385) and tank holder (1386).

Model No.	Part No.	Ship Wt. (lb) est.
1380	7801380000	1



MODEL 1381 GUIDANCE HANDLE- This steering aid provides for patient mobility. Has a non-slip black vinyl coated finish. Attaches with the comprehensive clamp (1380), sold separately.

Model No.	Part No.	Ship Wt. (lb) est.
1381	7801381000	2
1381SS	3537426350	2



MODEL 1382 DRAINAGE BAG HOOK- Simple-to-use chrome-plated hook clamps onto both 1" and 1-1/4" diameter IV poles. Tighten with thumbscrew.

Model No.	Part No.	Ship Wt. (lb) est.
1382	7801382000 (fits 1" diameter IV poles)	1
1382HD	7801382125 (fits 1-1/4" diameter IV poles) On models 1350,1360	2



MODEL 1384 PUMP SUPPORT TRAY- This chrome-plated tray (5" x 6") attaches easily to the IV stand with the **comprehensive clamp - Model 1380** - sold separately. Hole (1/2" diameter) in center of tray provides for easy pump attachment.

Model No.	Part No.	Ship Wt. (lb) est.
1384	7801384000	3




MODEL 1385 MULTI-PUMP HOLDER- Fabricated from chrome-plated steel, this unit requires two Model 1380 Comprehensive Clamps. Easy to mount and remove. Holds up to four IV pumps. Fits any diameter IV pole. 17-3/4" W x 27-3/4" H.

Model No.	Part No.	Ship Wt. (lb) est.
1385	7801385000	8



MODEL 1386 TANK HOLDER- Fabricated from chrome-plated steel, this holder attaches to the IV pole via the **comprehensive clamp - Model 1380** - sold separately. Holds D and E size oxygen tanks.

Model No.	Part No.	Ship Wt. (lb) est.
1386	7801386000	3



MODEL 1388PS POWER STRIP- This mounting kit includes one hospital-grade, 4-outlet power strip with mounting clips to accommodate IV poles with 1"- or 1-1/4"-diameter outside posts.

Model No.	Part No.	Ship Wt. (lb) est.
1388PS	2702507512	



STAINLESS

MODEL 7807SS (BAKER) AND MODEL 7808SS (SNYDER) SOLUTION STANDS have a single or double basin with a supporting frame connected by your choice of a bottom shelf or H-brace. The bracing and shelf, as well as all stainless welded construction, enhance the stand's strength and stability. Stainless steel basin has large 8-1/2 qt. capacity yet is unusually quiet when dropped into the circular ring. Rubber bumpers are placed strategically inside the ring to reduce noise from metal to metal contact. Travels quietly on two-inch swivel casters.

Model No.	Part No.	Feature	Dimensions (overall)	Basins	Ship Wt. (lb) est.
7807SS	0717807000	shelf	15"L 15"W 33"H	1	19
7807SS-HB	0717807100	H-brace	15"L 15"W 33"H	1	18
7808SS	0727808000	shelf	29"L 15"W 33"H	2	33
7808SS-HB	0727808100	H-brace	29"L 15"W 33"H	2	29
SB-1	9737370120	8-1/2 qt.	14"D	-	4




INSTRUMENT (MAYO) STANDS

Model No.	Part No.		Ship Wt. (lb) est.
-----------	----------	--	--------------------

CHROME:

1501	0661501000	5-Leg Instrument Stand, with s/s tray	12*
1510	0661510000	Double-Post Mayo Stand, with s/s tray	19*
1515	0661515000	Single-Post Mayo Stand, with s/s tray	12*

STAINLESS STEEL:

1520SS	0671520000	Mayo Stand 12-5/8" x 19-1/8" tray	21*
7767SS	0617767000	Richmond 13-3/4" x 19-1/8" tray	46*
7769SS	0617769000	Richmond 16" x 21" tray	46*
7740SS	0627740000	Manhattan 13-3/4" x 19-1/8" tray	45*
7749SS	0627749000	Manhattan 16" x 21" tray	46*
7741SS	0637741000	Newark 13-3/4" x 19-1/8" tray	45*
7748SS	0647748000	Stanford 13-3/4" x 19-1/8" tray	35*
8771SS	0658771000	Double Post Jumbo Mayo Stand 20" x 25" tray	54

OPTIONS:

7748CR	3602007765	Cradle assembly with 13 qt. kickbucket	
--------	------------	--	--

CHROME IV STANDS
FOUR-LEG IV STANDS:

1305	0561305000	IV Stand with 2hk., welded, painted base	10*
1305-4P	0561305401	IV Stand with 4hk., painted base	15*
1310	0561310000	4-Leg IV Stand with Tru-Loc, 2 hk.chrome plated base	14*

FIVE-LEG IV STANDS:

1315	0561315000	5-Leg IV Stand with Tru-Loc, 2 hk.	13*
1315-4	0561315400	5-Leg IV Stand with Tru-Loc, 4 hk.	13*
1350-4	0561350400	5-Leg heavy Duty IV Stand with Tru-Loc, 4-hk.	15*
1350-6	0561350600	5-Leg heavy Duty IV Stand with Tru-Loc, 6-hk.	15*

SIX-LEG IV STANDS:

1360-4	0561360400	6-Leg heavy Duty IV Stand with Tru-Loc, 4-hk.	22*
1360-6	0561360600	6-Leg heavy Duty IV Stand with Tru-Loc, 6-hk.	24*

STAINLESS STEEL IV STANDS

Model No.	Part No.		Ship Wt. (lb) est.
-----------	----------	--	--------------------

FOUR-LEG IV STANDS:

1410SS	0571410000	4-leg IV stand with Tru loc, 2-hk.	15*
1410SS-4	0571410400	1410SS with 4-hook ram's horn	15*
7789SS	0517789000	Northern 2-hook ram's horn	25*
7789SS-4	0517789400	Northern 4-hook ram's horn	26*
7790SS	0527790000	Southern 2-hook ram's horn	26*
7790SS-4	0527790400	Southern 4-hook ram's horn	27*
7788SS	0517788000	Northern foot-operated 2-hook ram's horn	27*
7788SS-4	0517788400	7788SS with 4-hook ram's horn	28*

STAINLESS STEEL IV STANDS continued...
OPTIONS

IT1AFR	3577901015	10" x 15" Instrument tray (on Northern and Southern models only)	
--------	------------	--	--

FIVE-LEG IV STANDS:

1415SS	0531415000	5-leg IV Stand with Tru loc, 2-hk	13*
1415SS-4	0531415400	1415SS with 4-hook ram's horn	13*
7792SS	0537792000	IV Stand, 5-leg base, 2-hook	35*
7792SS-4	0537792400	7792SS with 4-hook ram's horn	35*
7794SS	0517794000	5-leg IV Stand, auto thumb control, 2-hk. 55"-91"	35*
7794SS-4	0517794400	7794SS-4 with 4-hook ram's horn	35*
7795SS-4	0539A02304	7795SS-4 with 4-hook ram's horn and Twist lock	

IV STAND ACCESSORIES

1380	7801380000	Comprehensive Clamp	1*
1381	7801381000	Guidance Handle (requires #1380)	2*
1381SS	3537426350	Stainless Steel Triangular Push-Handle	2*
1382	7801382000	Drainage Bag Hook	1*
1382HD	7801382125	Heavy Duty Drainage Bag Hook	2*
1384	7801384000	Utility Console Tray (requires #1380)	3*
1385	7801385000	Multi-Pump Holder (requires two #1380's)	8*
1386	7801386000	Tank Holder (requires #1380)	3*
1388PS	2702507512	Power Strip	

SOLUTION STANDS

7807SS	0717807000	Baker single basin with shelf	19*
7807SS-HB	0717807100	Baker single basin with H-Brace	18*
7808SS	0727808000	Snyder double basin with shelf	33
7808SS-HB	0727808100	Snyder double basin with H-brace	29
SB-1	9737370120	Solution Basin, 8-1/2 qt.	4*



The Physician's Resource
for Medical Equipment, Inc.

Sales and Service of Cardiology and Surgical Equipment and Supplies