



Compact, flexible confidence

Philips IntelliVue MP5 patient monitor

The IntelliVue MP5 patient monitor delivers IntelliVue monitoring power and functionality in a compact and rugged housing to match the demands of a wide range of care environments both in and out of hospital. Used with SyzygiE™, IntelliVue MP5 can help healthcare professionals make confident decisions. All share an intuitive interface, innovative Clinical Decision Support tools, and outstanding design.

Key advantages

- Compact, rugged housing to meet the demands of transport in and out of the hospital
- Intuitive touchscreen and renowned ease of use, with industry-leading measurements
- Wired and wireless connectivity, and expanded capabilities for care

PHILIPS
sense and simplicity

A clear connection to your patients

Advanced features for ease of use

The MP5 features an intuitive touchscreen and renowned ease of use, with industry-leading measurements, crisp and clear display, touchscreen operation, and one-step smart touch commands to allow you to focus on the patient, not the monitor. Clinical Decision Support tools such as Horizon Trends, ST Map and ProtocolWatch reveal more information when it counts most, enhancing clinician confidence. The IntelliVue Guardian EWS helps caregivers take vital signs and calculate an Early Warning Score faster and more easily, aiding in early recognition of subtle signs of patient deterioration.

We've redesigned the user interface to improve visibility of patient data, make it easier to use, and to enhance compatibility with standard software.

Capture, review, and store diagnostic 12-lead ECGs at the monitor before sending them to the IntelliVue Information Center. You can also locally print in a harmonized layout. Each NBP measurement now generates a column in the vital signs trend table.

Measurements for other values are added to provide a comprehensive vital signs data set for the NBP measurement time, offering a more complete picture.

The Smart Alarm Delay algorithm helps reduce the number of pulse oximetry nuisance alarms, allowing you to focus your attention where needed.¹

Wired and wireless networking for continuous connection

The IntelliVue MP5 connects to the IntelliVue Clinical Network, which can span the hospital enterprise. You can manage your patient's care with the assurance that data collection won't be disrupted, no matter where patients are located on the network.

Expanded capabilities

Enhance the compact IntelliVue MP5 by connecting it to an IntelliVue XDS Large Display, adding a high-resolution bedside display to make it easier to clearly see vital patient information at a distance. XDS remote-control functionality gives you the flexibility to access and control the IntelliVue MP5 wherever and however you choose to optimize your workspace ergonomics.



1. Not available in the U.S.

Commonly required measurements, built in

- ECG, SpO₂, and NBP available as standard. Non-ECG option² also available.
- Choice of up to two invasive pressures and temperatures (with an optional port for Welch Allyn SureTemp[®]).

Comprehensive CO₂/gas monitoring

- Choice of mainstream, sidestream or Microstream[®] CO₂.
- Anesthesia monitoring with IntelliVue G1 and G5³ anesthetic gas modules.

Wired and wireless connectivity with easy switching between modes.

Dynamic Wave area features waves that automatically adjust in size depending on the number of waves configured.

Sturdy housing (Class 7M3) to withstand rough handling.

Comfortable handle and bedrail mount for transport.


Touchscreen operation designed for easy information input and intuitive onscreen navigation with one-touch commands.

Telemetry as a parameter (TAAP) and wireless telemetry as a parameter (WTAAP) display telemetry data through a direct or wireless connection to a telemetry transceiver. Wireless telemetry expands capabilities to provide untethered in-room access to telemetry data in near-realtime.

Video out allows use of larger external display.

Optional integrated recorder with 5cm (2") strip offers convenient documentation where needed.

Up to four hours battery operation with one lithium ion battery.⁴



Lightweight at approximately 4 kg (8.8 lbs.) including battery.

No user setup required for typical use. A range of screen configurations are included.

21.3 cm (8.4") color SVGA display with up to **4 waveforms** is bright and easy to read.

2. Non-ECG option available in the US only.
3. G5 compatibility in the US only.
4. With basic monitoring configuration (automatic brightness reduction, ECG/RESP and SpO₂ measurements in use, NBP every 15 minutes).

Clear confidence, in or out of the hospital



Optional bed rail hanger fits securely and provides a good viewing angle.



Philips offers a wide range of supplies, including NIBP cuffs, SpO₂ sensors, Microstream® CO₂ accessories and a variety of cables and leads to optimize performance of your Philips equipment.

M8105A MP5

Microstream is a registered trademark of Oridion Medical Ltd. SureTemp is a registered trademark of Welch Allyn, Inc.



IntelliVue MP5 with IntelliVue XDS Large Display.



Philips Healthcare is part of Royal Philips Electronics
© 2010 Koninklijke Philips Electronics N.V.
All rights are reserved.

Philips Healthcare reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

Printed in The Netherlands
4522 962 63961 *AUG 2010

The Physician's Resource
for Medical Equipment, Inc.

Sales and Service of Cardiology and Surgical Equipment and Supplies